

## NOTICE

Joint meeting of the Baileys Harbor Town Board and the Baileys Harbor Wastewater Committee will be held on **Monday, August 31, 2015 at 6:00PM** in the meeting room at the Town Hall, 2392 County Road F. Discussion and decision may be made on any agenda item. Deviation of the agenda may occur. Public input may be allowed on certain agenda topics at the discretion of the presiding officer.

## AGENDA

1. Call to order
2. Verify posting/accept agenda
3. Consideration of Resolution #2015-05, a Preliminary Resolution Declaring Intent to Exercise Special Assessment Powers Under Wisconsin Statute 66.0703 Upon Ward Street for the Installation of Sanitary Sewer
4. Consideration of wastewater extension to corner of CTH EE/F and possible hookup of future brewing facility for Door County Brewing Company
5. Update on Bluff Road
6. Adjourn

Posted Friday, August 28, 2015

Douglas Smith

Town Clerk/Administrator

Questions regarding the nature of agenda items or more detail on agenda items listed above can be directed to Douglas Smith, Town Clerk/Administrator, at (920) 839-9509 or [tbaileysharbor@dcwis.com](mailto:tbaileysharbor@dcwis.com)

It is possible that a quorum of members of other governmental bodies of the Municipality may be in attendance at the above stated meeting to gather information. No action will be taken by any governmental body at the above stated meeting other than the governmental body specifically referred to above in this notice. It is the policy of the Town of Baileys Harbor to comply in good faith with all applicable regulations, guidelines, etc. put forth in the Americans with Disabilities Act. Any person (s) in need of an alternative format (i.e. larger print, audio tapes, Braille, reader interpreters, amplifiers, transcription) regarding information disseminated by the Town of Baileys Harbor notify the Town 48-hours prior to a meeting, etc. or allow 48-hours after request for a copy of notices etc. for delivery of that alternative format. Contact Douglas Smith at (920) 839-9509.